

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**I. LISTING OF CLAIMS:**

1. (currently amended): A method of executing applets, comprising:  
receiving user selection of ~~one or more~~ a plurality of applets;  
generating separate windows for each selected applet; and  
an application program executing each applet in a separate window.
2. (original): The method of claim 1, wherein one applet may be selected multiple times.
- B<sup>1</sup> 3. (original): The method of claim 1, further comprising enabling each window to be resized.
4. (original): The method of claim 1, further comprising enabling each window to be repositioned.
5. (original): The method of claim 1, further comprising enabling each window to be minimized.

6. (original): The method of claim 1, further comprising enabling each window to be maximized.

7. (original): The method of claim 1, further comprising enabling each window to overlap one or more other windows.

8. (original): The method of claim 1, further comprising enabling the windows to cascade.

9. (original): The method of claim 1, further comprising enabling the windows to be tiled.

10. (original): The method of claim 1, further comprising loading a webtop applet into a browser window.

11. (original): The method of claim 1, further comprising loading a webtop applet into a Java application.

12. (original): The method of claim 1, further comprising executing a webtop applet to display a list of available applets from which users can select.

13. (original): The method of claim 1, further comprising generating a JInternal frame for each selected applet.

14. (original): The method of claim 1, wherein separate windows are generated for applets selected from a toolbar.

B' 15. (currently amended): An apparatus for executing applets, comprising:  
a client computer having a data store coupled thereto, wherein the data store stores data;  
a server computer having a data store coupled thereto, wherein the data store stores data,  
and connected to the client computer via a network; and  
one or more computer programs, performed by the computers, for receiving user selection of ~~one or more~~ a plurality of applets; generating separate windows for each selected applet; and an application program executing each applet in a separate window.

16. (original): The apparatus of claim 15, wherein one applet may be selected multiple times.

17. (original): The apparatus of claim 15, further comprising enabling each window to be resized.

18. (original): The apparatus of claim 15, further comprising enabling each window to be repositioned.

19. (original): The apparatus of claim 15, further comprising enabling each window to be minimized.

20. (original): The apparatus of claim 15, further comprising enabling each window to be maximized.

21. (original): The apparatus of claim 15, further comprising enabling each window to overlap one or more other windows.

B  
22. (original): The apparatus of claim 15, further comprising enabling the windows to cascade.

23. (original): The apparatus of claim 15, further comprising enabling the windows to be tiled.

24. (original): The apparatus of claim 15, further comprising loading a webtop applet into a browser window.

25. (original): The apparatus of claim 15, further comprising loading a webtop applet into a Java application.

26. (original): The apparatus of claim 15, further comprising executing a webtop applet to display a list of available applets from which users can select.

27. (original): The apparatus of claim 15, further comprising generating a JInternal frame for each selected applet.

B' 28. (original): The apparatus of claim 15, wherein separate windows are generated for applets selected from a toolbar.

/ 29. (currently amended): An article of manufacture comprising a program storage medium readable by a computer and embodying one or more instructions executable by the computer for executing applets, comprising:

receiving user selection of ~~one or more~~ a plurality of applets;

generating separate windows for each selected applet; and

an application program executing each applet in a separate window.

30. (original): The article of manufacture of claim 29, wherein one applet may be selected multiple times.

31. (original): The article of manufacture of claim 29, further comprising enabling each window to be resized.

32. (original): The article of manufacture of claim 29, further comprising enabling each window to be repositioned.

33. (original): The article of manufacture of claim 29, further comprising enabling each window to be minimized.

34. (original): The article of manufacture of claim 29, further comprising enabling each window to be maximized.

B<sup>1</sup>  
35. (original): The article of manufacture of claim 29, further comprising enabling each window to overlap one or more other windows.

36. (original): The article of manufacture of claim 29, further comprising enabling the windows to cascade.

37. (original): The article of manufacture of claim 29, further comprising enabling the windows to be tiled.

38. (original): The article of manufacture of claim 29, further comprising loading a webtop applet into a browser window.

39. (original): The article of manufacture of claim 29, further comprising loading a webtop applet into a Java application.

40. (original): The article of manufacture of claim 29, further comprising executing a webtop applet to display a list of available applets from which users can select.

61 41. (original): The article of manufacture of claim 29, further comprising generating a JInternal frame for each selected applet.

42. (original): The article of manufacture of claim 29, wherein separate windows are generated for applets selected from a toolbar.

/ 43. (withdrawn): A webtop applet, comprising a JInternal frame holding an applet, wherein the JInternal frame holding the applet is extrapolated from a JInternal frame holding a document, and wherein the extrapolated JInternal frame holding the applet creates a windowing desktop.

44. (withdrawn): The webtop applet of claim 43, wherein the webtop applet is included within body tags of a HTML document.

45. (withdrawn): The webtop applet of claim 43, wherein the webtop applet is included within a Java application.

46. (new): A method of executing applets, comprising:

opening a viewer to allow a user to select a plurality of applets;

generating a separate window within the viewer for each selected applet; and

executing each of the selected applets in the separate window within the viewer.

47. (new): The method according to claim 46, wherein said viewer is a web browser.

48. (new): The method according to claim 47, wherein said plurality of applets are positioned within a single webpage of the web browser.

49. (new): The method according to claim 46, wherein said viewer is an applet viewer.

50. (new): The method according to claim 46, wherein said viewer is a webtop applet viewer.

51. (new): The method according to claim 46, wherein said plurality of applets are positioned within a single viewer window.

52. (new): The method according to claim 46, wherein said plurality of applets are executed from within a user application.



53. (new): The method according to claim 1, further comprising launching the application program to provide a user with a list of available applets from which the user can select the applets.

B2 54. (new): The method according to claim 1, wherein the application program is a user application program.

55. (new): The method according to claim 1, wherein said application program generates separate windows for the selected applets within a window of the application program.

56. (new): The method according to claim 1, wherein all of said windows for said selected applets are generated within display space defined for the application program.

---